

# Infrared panel ISP-Design

INFRARED PANEL WITH HIGH-QUALITY GLASS FRONT




**The ISP heat-radiating panel is a unique panel heater. It unites cost-efficiency and glass design in a single device.**

This electrical heater will become a significant design element of your home interior. To emphasize a special ambience in your rooms, the panel radiators can be mounted on walls both horizontally and vertically. The glass panels are primarily intended for heating interior rooms and are provided with a so-called "crumble effect". The latter prevents a danger of injuries if the glass panel breaks.

**Its very slender and high-value appearance (only 20 mm) makes it an eye-catcher in your home.**






Infrared  
Heating



# Infrared panel

Series **ISP Design** • glass front white • 690 mm



## ISP Design white (height 690 mm)

**Elegant front made of high-quality, polished white glass**, with rounded edges, frameless design, wall distance 33 mm. Can only be used in conjunction with external weekday control (see p. 111). Connection cable 1.5 m with plug.

**Only suitable for wall mounting!**

## ISP Design white RF (height 690 mm)

**Elegant front made of high-quality, polished white glass**, with rounded edges, frameless design, wall distance 33 mm. With built-in radio receiver for control with an external thermostat e.g. TPF-ECO (exclusive) and our TYDOM APP.

**The TPF-ECO or TBF thermostat must be ordered separately for all RF models (see page 111). Only suitable for wall mounting!**



| Model        | Power [kW] | Dimensions<br>B x H x T [mm] | Weight<br>[kg approx.] | Order number | Price [Euro] |
|--------------|------------|------------------------------|------------------------|--------------|--------------|
| Design-W 450 | 0,50       | 1030 x 690 x 20              | 17,60                  | 880 100 453  | 923,77       |
| Design-W 750 | 0,80       | 1330 x 690 x 20              | 21,80                  | 880 100 753  | 1.218,03     |
| Design-W 950 | 1,00       | 1630 x 690 x 20              | 28,10                  | 880 100 953  | 1.284,36     |

Discount group TT\_200

| Model           | Power [kW] | Dimensions<br>B x H x T [mm] | Weight<br>[kg approx.] | Order number | Price [Euro] |
|-----------------|------------|------------------------------|------------------------|--------------|--------------|
| Design-W 450 RF | 0,50       | 1030 x 690 x 20              | 17,60                  | 880 101 453  | 963,57       |
| Design-W 750 RF | 0,80       | 1330 x 690 x 20              | 21,80                  | 880 101 753  | 1.269,88     |
| Design-W 950 RF | 1,00       | 1630 x 690 x 20              | 28,10                  | 880 101 953  | 1.333,80     |

Discount group TT\_200

# Infrared panel

Series **ISP Design** • glass front black • 690 mm



## ISP Design black (height 690 mm)

Elegant front made of high-quality, polished **black glass**, with rounded edges, frameless design, wall distance 33 mm. Can only be used in conjunction with external weekday control (see p. 111). Connection cable 1.5 m with plug.

**Only suitable for wall mounting!**

## ISP Design RF black (height 690 mm)

Elegant front made of high-quality, polished **black glass**, with rounded edges, frameless design, wall distance 33 mm. With built-in radio receiver for control with an external thermostat e.g. TPF-ECO (exclusive) and our TYDOM APP.

**The TPF-ECO or TBF thermostat must be ordered separately for all RF models (see page 111). Only suitable for wall mounting!**



| Model        | Power [KW] | Dimensions<br>B x H X T [mm] | Weight<br>[kg approx.] | Order number | Price [Euro] |
|--------------|------------|------------------------------|------------------------|--------------|--------------|
| Design-B 450 | 0,50       | 1030 x 690 x 20              | 17,60                  | 880 100 454  | 923,77       |
| Design-B 750 | 0,80       | 1330 x 690 x 20              | 21,80                  | 880 100 754  | 1.218,03     |
| Design-B 950 | 1,00       | 1630 x 690 x 20              | 28,10                  | 880 100 954  | 1.284,36     |

Discount group TT\_200

| Model           | Power [KW] | Dimensions<br>B x H X T [mm] | Weight<br>[kg approx.] | Order number | Price [Euro] |
|-----------------|------------|------------------------------|------------------------|--------------|--------------|
| Design-B 450 RF | 0,50       | 1030 x 690 x 20              | 17,60                  | 880 101 454  | 963,57       |
| Design-B 750 RF | 0,80       | 1330 x 690 x 20              | 21,80                  | 880 101 754  | 1.269,88     |
| Design-B 950 RF | 1,00       | 1630 x 690 x 20              | 28,10                  | 880 101 954  | 1.333,80     |

Discount group TT\_200





# Infrared panel

## Series mirror



### ISP mirror (height 650 mm)

**Elegante Front made of high-quality mirror glass** with radio receiver RF for control of the device, frameless design, high-quality view, backside thermal insulation, quick and precise heating, prevents mold formation, pleasant radiant heat, constant humidity, only 20 mm thin, with connection cable approx. 1 m for immediate use. Only suitable for wall mounting!

**The TPF-ECO or TBF thermostat must be ordered separately for all RF models (see page 111).**



| Model        | Power [KW] | Dimensions<br>B x H X T [mm] | Weight<br>[kg approx.] | Order number | Price [Euro] |
|--------------|------------|------------------------------|------------------------|--------------|--------------|
| Design-S 350 | 0,40       | 650 x 650 x 20               | 12,80                  | 880 100 357  | 684,99       |
| Design-S 750 | 0,80       | 1250 x 650 x 20              | 21,80                  | 880 100 757  | 1.121,55     |

Discount group TT\_200

| Model           | Power [KW] | Dimensions<br>B x H X T [mm] | Weight<br>[kg approx.] | Order number | Price [Euro] |
|-----------------|------------|------------------------------|------------------------|--------------|--------------|
| Design-S 350 RF | 0,40       | 650 x 650 x 20               | 12,80                  | 880 101 357  | 724,79       |
| Design-S 750 RF | 0,80       | 1250 x 650 x 20              | 21,80                  | 880 101 757  | 1.162,55     |

Discount group TT\_200