### Wall mounted Panel Heater VPS

#### WITH BUILT-IN SPECIAL HEAT RETENTION CERAMIC TABLETS









The product range of TECHNOTHERM panel heating offers perfect solutions for all technical demands on heating. Whether in large-dimensioned houses or small apartments - TECHNOTHERM offers heaters of an aesthetic design for stylish facings paired with the newest heating technologies. So you can heat efficiently and reduce your energy costs. **Heaters made in Germany!** Heating with TECHNOTHERM - even more comfortable. All VPS heaters are equipped with special storage stone.

Moreover, this series is provided with electronic thermostats, which allow extra comfortable and fully controllable heating.

All VPS heaters are equipped with a special heat storage stone. The series also features a digital, electronic thermostat that allows comfortable and fully controlled heating.









All RAL colors are available upon request. Extra charge: 143,64€

#### RAL 9003 housing color





- twin overheat safety protection
- digital thermostat
- special ceramic storage
- · 100% of ceramic natural materials

### **Direct heating**

Series VPS white





#### Wall convector VPS plus

Strong steel housing, with special ceramic heat retention tablets, Aluminium heating element, Twin Overheat protection, Thermostat with weekday function, Detection of open window, adaptive start control (Settings: Comfort, Economy, Frost Protection), Coulour white, protection class I, connecting lead with plug. IP 20

#### VPS DSM, VPS H DSM

Wall convector with DSM thermostat - can be controlled with the DSM interface via the Internet using the free TECHNOTHERM APP. Separate temperatures and various time programs can be set for each room (see page 8-9).

#### **VPS RF**

With built-in radio receiver for control with an external radio thermostat e.g. TPF-ECO (exclusive) and our TYDOM APP. Necessary for control via the Internet

Model white	Power [KW]	Dimensions B x H X T [mm]	Weight [kg approx.]	Order number	Price [Euro]
VPS 750 plus	0,75	750 x 450 x 68	11,90	429 754 211	435,35
VPS 1000 plus	1,00	750 x 450 x 68	11,90	429 754 212	447,41
VPS 1200 plus	1,20	750 x 450 x 68	11,90	429 754 213	459,47
VPS 1500 plus	1,50	1050 x 450 x 68	14,30	429 754 214	499,27
VPS 2000 plus	2,00	1050 x 450 x 68	14,30	429 754 216	527,00
VPS 1200 H plus	1,20	450 x 1050 x 68	14,30	429 755 243	516,15

ount group TT\_200 All units can also be ordered in IPX4 for a 45,82 Euro surcharg

Model white	Power [KW]	Dimensions B x H X T [mm]	Weight [kg approx.]	Order number	Price [Euro]
VPS 750 DSM	0,75	750 x 450 x 68	11,90	429 754 271	523,40
VPS 1000 DSM	1,00	750 x 450 x 68	11,90	429 754 272	535,46
VPS 1200 DSM	1,20	750 x 450 x 68	11,90	429 754 273	546,30
VPS 1500 DSM	1,50	1050 x 450 x 68	14,30	429 754 274	586,10
VPS 2000 DSM	2,00	1050 x 450 x 68	14,30	429 754 276	613,84
VPS 1200 H DSM	1,20	450 x 1050 x 68	14,30	429 755 233	604,19

ount group TT\_200 All units can also be ordered in IPX4 for a 45,82 Euro surcharg

Model white	Power [KW]	Dimensions B x H X T [mm]	Weight [kg approx.]	Order number	Price [Euro]
VPS 750 RF	0,75	750 x 450 x 68	11,90	429 754 221	475,15
VPS 1000 RF	1,00	750 x 450 x 68	11,90	429 754 222	487,22
VPS 1200 RF	1,20	750 x 450 x 68	11,90	429 754 223	502,89
VPS 1500 RF	1,50	1050 x 450 x 68	14,30	429 754 224	543,90
VPS 2000 RF	2,00	1050 x 450 x 68	14,30	429 754 226	570,43
VPS 1200 H RF	1,20	450 x 1050 x 68	14,30	429 755 223	560,78

Discount group  $TT_200$  All units can also be ordered in IPX4 for a 45,82 Euro surcharge.

### **Direct heating**

Series VPS anthracite





#### Wall convector VPS plus

# Strong steel housing, with special ceramic heat retention tablets, Aluminium heating element, Twin Overheat protection, Thermostat with weekday function, Detection of open window, adaptive start control (Settings: Comfort, Economy, Frost Protection), Coulour white, protection class I, connecting lead with plug. IP 20

#### VPS DSM, VPS H DSM

Wall convector with DSM thermostat - can be controlled with the DSM interface via the Internet using the free TECHNOTHERM APP. Separate temperatures and various time programs can be set for each room (see page 8-9).

#### **VPS RF**

With built-in radio receiver for control with an external radio thermostat e.g. TPF-ECO (exclusive) and our TYDOM APP. Necessary for control via the Internet

Model Anthrazit	Power [KW]	Dimensions B x H X T [mm]	Weight [kg approx.]	Order number	Price [Euro]
VPS-Z 750 plus	0,75	750 x 450 x 68	11,90	429 754 331	554,74
VPS-Z 1000 plus	1,00	750 x 450 x 68	11,90	429 754 332	566,80
VPS-Z 1200 plus	1,20	750 x 450 x 68	11,90	429 754 333	578,86
VPS-Z 1500 plus	1,50	1050 x 450 x 68	14,30	429 754 334	618,65
VPS-Z 2000 plus	2,00	1050 x 450 x 68	14,30	429 754 335	646,40
VPS-Z 1200 H plus	1,20	450 x 1050 x 68	14,30	429 755 333	635,54

Discount group TT\_200

All units can also be ordered in IPX4 for a 45,82 Euro surcharge.

Model Anthrazit	Power [KW]	Dimensions B x H X T [mm]	Weight [kg approx.]	Order number	Price [Euro]
VPS-Z 750 DSM	0,75	750 x 450 x 68	11,90	429 754 341	642,78
VPS-Z 1000 DSM	1,00	750 x 450 x 68	11,90	429 754 342	654,84
VPS-Z 1200 DSM	1,20	750 x 450 x 68	11,90	429 754 343	665,70
VPS-Z 1500 DSM	1,50	1050 x 450 x 68	14,30	429 754 344	705,49
VPS-Z 2000 DSM	2,00	1050 x 450 x 68	14,30	429 754 345	733,23
VPS-Z 1200 H DSM	1,20	450 x 1050 x 68	14,30	429 755 346	723,58

Discount group TT\_200

All units can also be ordered in IPX4 for a 45,82 Euro surcharge.

Model Anthrazit	Power [KW]	Dimensions B x H X T [mm]	Weight [kg approx.]	Order number	Price [Euro]
VPS-Z 750 RF	0,75	750 x 450 x 68	11,90	429 754 351	594,54
VPS-Z 1000 RF	1,00	750 x 450 x 68	11,90	429 754 352	606,60
VPS-Z 1200 RF	1,20	750 x 450 x 68	11,90	429 754 353	622,27
VPS-Z 1500 RF	1,50	1050 x 450 x 68	14,30	429 754 354	663,28
VPS-Z 2000 RF	2,00	1050 x 450 x 68	14,30	429 754 355	689,81
VPS-Z 1200 H RF	1,20	450 x 1050 x 68	14,30	429 755 356	680,17

Discount group TT\_20

All units can also be ordered in IPX4 for a 45,82 Euro surcharge



### Wall Mounted VPS Design Panel Heater

WITH HIGH-QUALITY GLASS FRONT






A Cront

In the **VPS design** series, the name says it all. The Wall mounted panel heater has a beautifully crafted heat resistant glass front. This series is one of many new developments having our **"Made in Germany"** seal.

- · Special ceramics thermal-storage heater for long-lasting warmth
- · Effective heating unit made of aluminium
- Twin overheat safety protection
- · Radio receiver RF to easily regulate the device
- Also available as a vertical version
- · Glass front suitable for writing on (for bars, restaurants, etc.)
- High quality glass front in 2 different colors













An effective wall-mounted convector with a high-quality glass front combines our premium product of the VPS-Design series. Experience the appealing aesthetics combined with extraordinary heating performance.





## Direct heating Series VPS-Design





#### Wall convector VPS-Design black, white

**Wall convector with glass front** in black or white with special ceramic thermal-storage heater, surface is writeable for bistros, res-taurants, cafés etc., tempered safety glass with "crumble effect". As standard, with built-in radio receiver for control with an external thermostat. TPF-ECO (exclusive) and our TYDOM APP. Necessary for control over the Internet, range within the building approx. 30 m (depending on the type), radio frequency 868 MHz (standard EN 300 200), ECO interface (see page 12-13). **IP 20** 

The TPF-ECO thermostat must be ordered separately for all RF models (see page 111).



Model black	Power [KW]	Dimensions B x H X T [mm]	Weight [kg approx.]	Order number	Price [Euro]
VPS-Design B 1000 RF	1,00	755 x 454 x 68	15,00	429 754 402	744,08
VPS-Design B 1200 RF	1,20	755 x 454 x 68	15,00	429 754 403	769,41
VPS-Design B 1500 RF	1,50	1055 x 454 x 68	20,00	429 754 404	871,91
VPS-Design B 2000 RF	2,00	1055 x 454 x 68	20,00	429 754 406	898,45
VPS-Design B 1200 H RF	1,20	454 x 1055 x 68	20,00	429 755 403	845,38

Model white	Power [KW]	Dimensions B x H X T [mm]	Weight [kg approx.]	Order number	Price [Euro]
VPS-Design W 1000 RF	1,00	755 x 454 x 68	15,00	429 754 302	744,08
VPS-Design W 1200 RF	1,20	755 x 454 x 68	15,00	429 754 303	769,41
VPS-Design W 1500 RF	1,50	1055 x 454 x 68	20,00	429 754 304	871,91
VPS-Design W 2000 RF	2,00	1055 x 454 x 68	20,00	429 754 306	898,45
VPS-Design W 1200 H RF	1,20	454 x 1055 x 68	20,00	429 755 303	845,38

Discount group TT\_200 All units can also be ordered in IPX4 for a 45,82 Euro surchar,