







## Accessoires

| Accessoires                                                                         | Produit                                        | Référence                                                                                                      | Ø 80                        | Ø 100                       | Ø 130                       | Ø 150                       | Ø 180                       | Ø 200                       | Ø 230                       | Ø 250                       |
|-------------------------------------------------------------------------------------|------------------------------------------------|----------------------------------------------------------------------------------------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
|    | Support plancher                               | SP ... DP                                                                                                      | 45 080 281<br><b>39,52</b>  | 45 100 281<br><b>39,97</b>  | 45 130 281<br><b>44,62</b>  | 45 150 281<br><b>44,62</b>  | 45 180 281<br><b>46,88</b>  | 45 200 281<br><b>46,88</b>  | 45 230 281<br><b>46,88</b>  | 45 250 281<br><b>79,58</b>  |
|    | Raccord calo intérieur et extérieur            | RACCI ... DP                                                                                                   | 45 080 213<br><b>93,39</b>  | 45 100 213<br><b>93,39</b>  | 45 130 213<br><b>135,50</b> | 45 150 213<br><b>135,50</b> | 45 180 213<br><b>180,76</b> | 45 200 213<br><b>180,76</b> | 45 230 213<br><b>180,76</b> | 45 250 213<br><b>230,51</b> |
|    | Raccord bas flexible sur buse (même diamètre)  | RF ... BU                                                                                                      | 45 080 244<br><b>44,31</b>  | 45 100 244<br><b>44,31</b>  | 45 130 244<br><b>49,17</b>  | 45 150 244<br><b>49,17</b>  | 45 180 244<br><b>54,21</b>  | 45 200 244<br><b>61,23</b>  | 45 230 244<br><b>61,23</b>  | 45 250 244<br><b>70,93</b>  |
|    | Raccord flexible                               | RF ...                                                                                                         | 45 080 043<br><b>18,48</b>  | 45 100 043<br><b>18,48</b>  | 45 130 043<br><b>19,21</b>  | 45 150 043<br><b>20,59</b>  | 45 180 043<br><b>21,84</b>  | 45 200 043<br><b>22,58</b>  | 45 230 043<br><b>22,58</b>  | 45 250 043<br><b>24,70</b>  |
|    | Raccord flexible à visser pour conduit émaillé | RFV EM ...                                                                                                     | 45 080 152<br><b>48,77</b>  | 45 100 152<br><b>48,77</b>  | 45 130 152<br><b>54,09</b>  | 45 150 152<br><b>54,09</b>  | 45 180 152<br><b>59,62</b>  | 45 200 152<br><b>67,33</b>  | -                           | -                           |
|    | Adaptateur sur buse même Ø                     | A ...                                                                                                          | 45 080 065<br><b>17,15</b>  | 45 100 065<br><b>17,15</b>  | 45 130 065<br><b>17,84</b>  | 45 150 065<br><b>17,84</b>  | 45 180 065<br><b>17,84</b>  | 45 200 065<br><b>20,27</b>  | 45 230 065<br><b>20,27</b>  | 45 250 065<br><b>21,32</b>  |
|   | Réduction sur buse*                            | RB .../...BU                                                                                                   | 45 080 018<br><b>47,09</b>  | 45 100 018<br><b>47,09</b>  | 45 130 018<br><b>48,98</b>  | 45 150 018<br><b>48,98</b>  | 45 180 018<br><b>48,98</b>  | 45 200 018<br><b>56,97</b>  | 45 230 018<br><b>56,97</b>  | 45 250 018<br><b>62,47</b>  |
|  | Té de purge vers inox (même Ø)                 | TPI ...                                                                                                        | 45 080 073<br><b>69,67</b>  | 45 100 073<br><b>69,67</b>  | 45 130 073<br><b>72,49</b>  | 45 150 073<br><b>81,49</b>  | 45 180 073<br><b>93,19</b>  | 45 200 073<br><b>113,47</b> | 45 230 073<br><b>113,47</b> | 45 250 073<br><b>146,80</b> |
|                                                                                     | vers émaillé**                                 | <div> <div>Ø émaillé</div> <div>↓</div> <div>TPI ... - ... EM</div> <div>↑</div> <div>Ø flexible</div> </div>  | 45 080 273<br><b>95,52</b>  | 45 100 273<br><b>101,91</b> | 45 130 273<br><b>109,44</b> | 45 150 273<br><b>118,46</b> | 45 180 273<br><b>130,14</b> | 45 200 273<br><b>150,41</b> | -                           | -                           |
|  | Té avec tampon d'obturation vers inox (même Ø) | TPTO ...                                                                                                       | 45 080 191<br><b>68,32</b>  | 45 100 191<br><b>68,32</b>  | 45 130 191<br><b>71,04</b>  | 45 150 191<br><b>78,18</b>  | 45 180 191<br><b>88,53</b>  | 45 200 191<br><b>108,87</b> | 45 230 191<br><b>108,87</b> | 45 250 191<br><b>143,86</b> |
|                                                                                     | vers émaillé**                                 | <div> <div>Ø émaillé</div> <div>↓</div> <div>TPTO ... - ... EM</div> <div>↑</div> <div>Ø flexible</div> </div> | 45 080 291<br><b>94,16</b>  | 45 100 291<br><b>100,55</b> | 45 130 291<br><b>107,99</b> | 45 150 291<br><b>115,15</b> | 45 180 291<br><b>125,49</b> | 45 200 291<br><b>145,84</b> | -                           | -                           |
|  | Jaquette de finition***<br>H = 500 mm          | JF 500 ... DP- ... EM<br>(Même Ø)                                                                              | 45 080 220<br><b>134,00</b> | 45 100 220<br><b>148,89</b> | 45 130 220<br><b>165,42</b> | 45 150 220<br><b>172,03</b> | 45 180 220<br><b>180,17</b> | 45 200 220<br><b>188,17</b> | 45 230 220                  | 45 250 220                  |
|                                                                                     | Jaquette de finition***<br>H = 1000 mm         | JF 1000 ... DP- ... EM<br>(Même Ø)                                                                             | 45 080 222<br><b>174,19</b> | 45 100 222<br><b>193,55</b> | 45 130 222<br><b>215,06</b> | 45 150 222<br><b>223,65</b> | 45 180 222<br><b>234,21</b> | 45 200 222<br><b>244,62</b> | -                           | -                           |
|  | Rosace pour jaquette de finition***            | ROS ... JDP                                                                                                    | 45 080 221<br><b>51,38</b>  | 45 100 221<br><b>57,08</b>  | 45 130 221<br><b>63,43</b>  | 45 150 221<br><b>68,03</b>  | 45 180 221<br><b>70,82</b>  | 45 200 221<br><b>73,67</b>  | -                           | -                           |
|  | support plancher pour jaquette de finition     | SP ... TZ                                                                                                      | 20 130 081<br><b>40,77</b>  | 20 150 081<br><b>41,47</b>  | 20 180 081<br><b>42,36</b>  | 20 200 081<br><b>43,62</b>  | 20 250 081<br><b>44,64</b>  | -                           | -                           | -                           |
|  | Bride murale Alu flexible isolé                | BM ... DP                                                                                                      | 45 080 202<br><b>20,93</b>  | 45 100 202<br><b>20,93</b>  | 45 130 202<br><b>24,56</b>  | 45 150 202<br><b>24,56</b>  | 45 180 202<br><b>26,54</b>  | 45 200 202<br><b>26,54</b>  | 45 230 202<br><b>26,54</b>  | 45 250 202<br><b>29,27</b>  |

\* À prévoir uniquement entre le raccord flexible du tubage et la buse de l'appareil.

\*\* Possibilité de réduction vers Émaillé 3 Ø maxi.

\*\*\* Disponible en blanc (RAL 9020) ou noir mat (RAL 9019)

## Conduits

| Éléments droits | Produit                  | Référence         | Ø 80                       | Ø 100                      |
|-----------------|--------------------------|-------------------|----------------------------|----------------------------|
|                 | Rosace à ressorts        | ROS ... ENM       | 56 080 970<br><b>22,78</b> | 56 100 970<br><b>22,78</b> |
|                 | 25 cm                    | LG 250 ... ENMJ   | 56 080 103<br><b>19,71</b> | 56 100 103<br><b>21,07</b> |
|                 | 25 cm + trappe de visite | LGTV 250 ... ENMJ | 56 080 123<br><b>28,90</b> | 56 100 123<br><b>33,66</b> |
|                 | 50 cm                    | LG 500 ... ENMJ   | 56 080 104<br><b>24,10</b> | 56 100 104<br><b>25,16</b> |
|                 | 100 cm                   | LG 1000 ... ENMJ  | 56 080 105<br><b>32,15</b> | 56 100 105<br><b>37,01</b> |
|                 | 51 à 86 cm               | ZOOM ... ENMJ     | 56 080 130<br><b>82,12</b> | 56 100 130<br><b>85,91</b> |
|                 | Joint fibre LG 2.50 M    | JF ENM 2.50M      | 56 000 110<br><b>47,89</b> |                            |

| Coudes à segments | Produit               | Référence        | Ø 80                       | Ø 100                      |
|-------------------|-----------------------|------------------|----------------------------|----------------------------|
|                   | 45°                   | CDS 45 ...ENMJ   | 56 080 122<br><b>38,53</b> | 56 100 122<br><b>42,99</b> |
|                   | 90°                   | CDS 90 ...ENMJ   | 56 080 142<br><b>45,67</b> | 56 100 142<br><b>47,92</b> |
|                   | 90°+ trappe de visite | CDS90+TV... ENMJ | 56 080 143<br><b>54,83</b> | 56 100 143<br><b>60,50</b> |

| Support | Produit                | Référence  | Ø 80                       | Ø 100                      |
|---------|------------------------|------------|----------------------------|----------------------------|
|         | Collier mural (P 9030) | CM ... ENM | 56 080 175<br><b>28,46</b> | 56 100 175<br><b>28,46</b> |

## Raccordements

|  | Produit                                         | Référence          | Ø 80                       | Ø 100                      |
|--|-------------------------------------------------|--------------------|----------------------------|----------------------------|
|  | Té tampon (piquage buse)                        | TE TP ... ENMJ     | 56 080 155<br><b>71,85</b> | 56 100 155<br><b>74,55</b> |
|  | Té réduit (piquage buse)                        | TE TP 100 ENMJ J80 | -                          | 56 100 159<br><b>82,01</b> |
|  | Té tampon + trappe de visite                    | TETP +TV... ENMJ   | 56 080 160<br><b>87,75</b> | 56 100 160<br><b>94,15</b> |
|  | Réduction sur buse<br>1er Ø : haut - 2e Ø : bas | RD 100M-80BU ENMJ  | -                          | 56 100 173<br><b>30,25</b> |
|  | Adaptateur                                      | A...F...F ENMJ     | 56 080 138<br><b>27,22</b> | 56 100 138<br><b>30,25</b> |
|  | Maintien au sol réglable                        | MSR ... ENMJ       | 56 080 109<br><b>43,06</b> | 56 100 109<br><b>44,98</b> |

## Accessoires

|  | Produit                                                                     | Référence          | Ø 60                              |
|--|-----------------------------------------------------------------------------|--------------------|-----------------------------------|
|  | Kit arrivée d'air comburant rosace noire                                    | KAAC 60            | 57 060 750<br><b>121,80</b>       |
|  | Galva flex Ø 60 (Couronne de 25 m)                                          | FLXNG 60-C 25M     | 51 060 302<br><b>234,31</b>       |
|  | Galva flex Ø 60 (Longueur 1 m)                                              | FLXNG 60-C 1M      | 51 060 711<br><b>10,34</b>        |
|  | Galva flex noir Ø 60 (Couronne de 25 m)                                     | FLXNOIR 60-C 25M   | 51 060 901<br><b>244,38</b>       |
|  | Galva flex noir Ø 60 (Longueur 1 m)                                         | FLXNOIR 60-C 1M    | 51 060 900<br><b>11,48</b>        |
|  | Adaptateur air étanche à membrane buse Ø 35 à 60 (Option peinture : + 30 %) | AMA-FL 60          | 37 060 903<br><b>35,67</b>        |
|  | Adaptateur air étanche Ø 60 (Option peinture : + 30 %)                      | AAE 60 BU          | 37 060 910<br><b>36,44</b>        |
|  | Rosace                                                                      | ROS 060 CHR        | 56 060 070<br><b>5,73</b>         |
|  | Rosace intérieure flexible peinte noire Ø60 (ext : 170 mm)                  | RIF 60 FL          | 57 060 752 - 9030<br><b>30,22</b> |
|  | Grille murale 7x7 cm                                                        | GRILLE 70X70 Ø60   | 55 000 279<br><b>9,85</b>         |
|  | Grille murale 17,5x17,5 cm                                                  | GRILLE 170X170 Ø60 | 55 000 499<br><b>68,99</b>        |

## Conduits - Noir mat

| Éléments droits                                                                   | Produit                        | Référence        | Ø 130                      | Ø 140                      | Ø 150                      | Ø 180                       | Ø 200                       |
|-----------------------------------------------------------------------------------|--------------------------------|------------------|----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|
|  | Rosace à ressorts              | ROS ... E NM     | 56 130 970<br><b>23,78</b> | 56 140 970<br><b>28,44</b> | 56 150 970<br><b>27,85</b> | 56 180 970<br><b>31,87</b>  | 56 200 970<br><b>31,87</b>  |
|  | 25 cm                          | LG 250 ... E NM  | 56 130 903<br><b>19,18</b> | 56 140 903<br><b>21,55</b> | 56 150 903<br><b>23,82</b> | 58 180 903<br><b>41,31</b>  | 58 200 903<br><b>45,94</b>  |
|  | 50 cm                          | LG 500 ... E NM  | 56 130 904<br><b>23,64</b> | 56 140 904<br><b>26,35</b> | 56 150 904<br><b>29,16</b> | 58 180 904<br><b>51,09</b>  | 58 200 904<br><b>56,83</b>  |
|  | 100 cm                         | LG 1000 ... E NM | 56 130 905<br><b>32,52</b> | 56 140 905<br><b>36,64</b> | 56 150 905<br><b>40,86</b> | 58 180 905<br><b>72,25</b>  | 58 200 905<br><b>80,33</b>  |
|                                                                                   | Élément réglable de 51 à 86 cm | ZOOM ... E NM    | 56 130 930<br><b>80,32</b> | 56 140 930<br><b>88,01</b> | 56 150 930<br><b>93,80</b> | 58 180 930<br><b>127,57</b> | 58 200 930<br><b>143,16</b> |

| Coudes plissés                                                                      | Produit | Référence      | Ø 130                      | Ø 140                      | Ø 150                      | Ø 180                      | Ø 200                      |
|-------------------------------------------------------------------------------------|---------|----------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
|    | 45°     | CD 45 ... E NM | 56 130 921<br><b>24,46</b> | 56 140 921<br><b>28,29</b> | 56 150 921<br><b>32,57</b> | 58 180 921<br><b>55,15</b> | 58 200 921<br><b>61,77</b> |
|   | 65°     | CD 65 ... E NM | 56 130 932<br><b>24,46</b> | 56 140 932<br><b>28,29</b> | 56 150 932<br><b>32,57</b> | 58 180 932<br><b>55,15</b> | 58 200 932<br><b>61,77</b> |
|  | 90°     | CD 90 ... E NM | 56 130 941<br><b>24,46</b> | 56 140 941<br><b>28,29</b> | 56 150 941<br><b>32,57</b> | 58 180 941<br><b>55,15</b> | 58 200 941<br><b>61,77</b> |

| Coudes à segments                                                                   | Produit | Référence       | Ø 130                      | Ø 140                      | Ø 150                      | Ø 180                      | Ø 200                      |
|-------------------------------------------------------------------------------------|---------|-----------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
|  | 45°     | CDS 45 ... E NM | 56 130 922<br><b>35,48</b> | 56 140 922<br><b>36,83</b> | 56 150 922<br><b>37,65</b> | 58 180 922<br><b>61,57</b> | 58 200 922<br><b>64,38</b> |
|  | 90°     | CDS 90 ... E NM | 56 130 942<br><b>44,14</b> | 56 140 942<br><b>44,76</b> | 56 150 942<br><b>47,10</b> | 58 180 942<br><b>67,53</b> | 58 200 942<br><b>69,59</b> |

## Raccordement - Noir mat

| Accessoires                                                                         | Produit                                                         | Référence         | Ø 130                         | Ø 140                         | Ø 150                         | Ø 180                         | Ø 200                       |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------|-------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-----------------------------|
|  | Té tampon                                                       | TE TP ... E NM    | 56 130 955<br><b>72,62</b>    | 56 140 955<br><b>78,60</b>    | 56 150 955<br><b>84,59</b>    | 58 180 955<br><b>106,10</b>   | 58 200 955<br><b>121,56</b> |
|  | Régulateurs de tirage*                                          | REGUL ... NM      | -                             | -                             | 56 150 953<br><b>103,27</b>   | 58 180 953<br><b>142,36</b>   | -                           |
|  |                                                                 | REGUL TECH ... N  | -                             | -                             | 56 150 954<br><b>247,43</b>   | 56 180 954<br><b>289,57</b>   | -                           |
|                                                                                     |                                                                 |                   | RD130F111BU ENM<br>56 130 976 | RD140F130BU ENM<br>56 140 977 | RD150F130BU ENM<br>56 150 973 | RD180F150BU ENM<br>56 180 976 |                             |
|                                                                                     |                                                                 |                   | RD130F120BU ENM<br>56 130 977 | RD140F139BU ENM<br>56 140 975 | RD150F139BU ENM<br>56 150 978 |                               |                             |
|                                                                                     |                                                                 |                   | RD130F125BU ENM<br>56 130 975 |                               | RD150F153BU ENM<br>56 150 977 |                               |                             |
|                                                                                     | Réduction<br>1 <sup>er</sup> Ø : haut<br>2 <sup>e</sup> Ø : bas |                   | <b>25,21</b>                  | <b>28,00</b>                  | <b>29,54</b>                  | <b>34,72</b>                  | -                           |
|  | Adaptateur                                                      | A ... F- ... E NM | 56 130 938<br><b>25,21</b>    | 56 140 938<br><b>28,00</b>    | 56 150 938<br><b>29,54</b>    | 58 180 938<br><b>34,72</b>    | 58 200 938<br><b>39,93</b>  |

\* Conforme à la DIN 4795.