

Infrared radiation panel LED

Series **ISP LED** • Front white • with three types of illumination



Modell: KW



Discover the perfection of heat and light: infrared heating with LED light frame.

Give your rooms a new dimension of comfort and elegance with our latest innovation - infrared heating with high quality LED light frame. Designed for wall and ceiling mounting, it combines advanced heating technology with impressive lighting to create an atmosphere of excellence.

Suitable for any environment

Whether at home, in the office or in business - the infrared heater with LED light frame fits seamlessly into any interior and creates an elegant, modern atmosphere.



Modell: WW



Modell: KW



Efficient heat source, stunning lighting.

Our infrared heater with LED light frame is not only a source of heat, but also a visual masterpiece. The powerful heating technology provides pleasant warmth, while the high-quality LED light frame with remote control conjures up impressive lighting in your rooms.

Versatile mounting options: Wall and ceiling.

Whether on the wall or on the ceiling, the flexible mounting option allows you to choose the ideal location for your infrared heater with LED light frame, ensuring optimal heat and light distribution.

High quality LED light frame: Stylish and functional.



The integrated LED light frame is more than just lighting. It also serves as a stylish decorative element that enhances the ambience of your rooms. With the included remote control, you can adjust the lighting mood to your liking.



The high-quality light frame, produced in Germany, can be adjusted with the attached remote control to any colour according to the RGB LED illuminant. This creates a harmonious atmosphere on the wall or ceiling and very different mood images can be created.

For selection, in addition to the variety of colours, there is also a "cold white", and "warm white" light. Depending on the desire.



ISP LED Warm white

ISP LED Warm white/cool white

ISP LED RGB-W

Elegant front, white powder-coated RAL 9016 finish, with high-quality LED light frame with power supply unit (separate socket connection required) and remote control for light control. A radio receiver and a radio thermostat transmitter (see pages 125-126) must be ordered separately for temperature control in this range. Discover the fusion of heat and light in a product that combines innovation and design at the highest level. Bring elegance and comfort into your home or business

Light frame in 3 different model series:

WW	Warm white, light colour 2400K, dimmable
WW/KW	Warm white / cool white, light colour 2400K - 6200K, selectable and dimmable
RGB-W	Warm white (light colour 2700K) or colours selectable and dimmable

Model Warm white	Power [KW]	Dimensions B x H x T [mm]	Weight [kg approx.]	Order number	Price [Euro]
ISP-LED Deluxe 360 WW	0,36	650 x 650 x 18	9,00	880 400 360	925,28
ISP-LED Deluxe 540 WW	0,54	950 x 650 x 18	13,00	880 400 540	1065,27
ISP-LED Deluxe 720 WW	0,72	1250 x 650 x 18	16,00	880 400 720	1278,44
ISP-LED Deluxe 900 WW	0,90	1550 x 650 x 18	22,00	880 400 900	1499,66

Discount group TT_200

Model Warm white / cool white	Power [KW]	Dimensions B x H x T [mm]	Weight [kg approx.]	Order number	Price [Euro]
ISP-LED Deluxe 360 WW/KW	0,36	650 x 650 x 18	9,00	880 410 360	1054,65
ISP-LED Deluxe 540 WW/KW	0,54	950 x 650 x 18	13,00	880 410 540	1194,65
ISP-LED Deluxe 720 WW/KW	0,72	1250 x 650 x 18	16,00	880 410 720	1407,82
ISP-LED Deluxe 900 WW/KW	0,90	1550 x 650 x 18	22,00	880 410 900	1629,04

Discount group TT_200

Model RGB-W	Power [KW]	Dimensions B x H x T [mm]	Weight [kg approx.]	Order number	Price [Euro]
ISP-LED Deluxe 360 RGB-W	0,36	650 x 650 x 18	9,00	880 420 360	1054,65
ISP-LED Deluxe 540 RGB-W	0,54	950 x 650 x 18	13,00	880 420 540	1194,65
ISP-LED Deluxe 720 RGB-W	0,72	1250 x 650 x 18	16,00	880 420 720	1407,82
ISP-LED Deluxe 900 RGB-W	0,90	1550 x 650 x 18	22,00	880 420 900	1629,04

Discount group TT_200